

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 24-10-21 Revision date: 20-09-21 Supersedes version of: 28-06-18 Version: 5.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Dammar Retouching Varnish

Product code : 1132

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Varnish

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Old Holland Classic Colours Since 1664 Nijendal 36 3972 KC Driebergen Rijsenburg

Nederland

T 0031 343 518 224 - F 0031 343 516 342 <u>info@oldholland.com</u> - <u>www.oldholland.com</u>

## 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 Postbus 85500 3508 GA Utrecht	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects. May be fatal if swallowed and enters airways.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP)

: Danger

Contains

: methanol, turpentine, oil

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.

H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310+P331 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER. Do

NOT induce vomiting.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P391 - Collect spillage.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
turpentine, oil	CAS-No.: 8006-64-2 EC-No.: 232-350-7 EC Index-No.: 650-002-00-6 REACH-no: 01-2119502456- 45	50 – 70	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (NL)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	5 - 15	Flam. Liq. 2, H225

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetone; propan-2-one; propanone substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	0,1 – 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
methanol substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	0,1 – 1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

Specific concentration limits:			
Name Product identifier		Specific concentration limits	
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	( 3 ≤C < 10) STOT SE 2, H371 ( 10 ≤C < 100) STOT SE 1, H370	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

the state of the s	
First-aid measures general	: Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If medical advice is needed, have product container or label at hand. Immediately call a POISON CENTER or doctor.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

: Irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness Symptoms/effects after skin contact

> or cracking. : Eye irritation.

Symptoms/effects after eye contact Symptoms/effects after ingestion : Risk of lung oedema.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Sand. Water spray. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with

skin, eyes and clothing. Avoid breathing vapours, mist, spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure-controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-

ventilated area. Avoid breathing vapours, mist, spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Explosion-free electrical equipment and lighting with earth. Ground/bond container and

receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible products : Strong alkalis. Strong acids.

Incompatible materials : Keep away from ignition sources (including static discharges). Heat and ignition sources : Keep away from heat and direct sunlight. ignition sources.

#### 7.3. Specific end use(s)

No additional information available

20-09-21 (Revision date) EN (English) 4/14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure and biological limit values				
ethanol; ethyl alcohol (64-17-5)				
Netherlands - Occupational Exposure Limits				
Local name	Ethanol			
TGG-8u (OEL TWA)	260 mg/m³			
TGG-15min (OEL STEL)	1900 mg/m³			
Remark	Kankerverwekkende stof. H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.			
Regulatory reference	Arbeidsomstandighedenregeling 2021			
acetone; propan-2-one; propanone (67-64-1)				
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	Acetone			
IOEL TWA	1210 mg/m³			
IOEL TWA [ppm]	500 ppm			
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC			
Netherlands - Occupational Exposure Limits				
Local name	Aceton			
TGG-8u (OEL TWA)	1210 mg/m³			
TGG-15min (OEL STEL)	2420 mg/m³			
Regulatory reference	Arbeidsomstandighedenregeling 2021			
methanol (67-56-1)				
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	Methanol			
IOEL TWA	260 mg/m³			
IOEL TWA [ppm]	200 ppm			
Remark	Skin			
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC			
Netherlands - Occupational Exposure Limits				
Local name	Methanol			
TGG-8u (OEL TWA)	133 mg/m³			
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.			
Regulatory reference	Arbeidsomstandighedenregeling 2021			

## 8.1.2. Recommended monitoring procedures

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Breathing equipment. Safety glasses. Gloves. Protective clothing.

#### Personal protective equipment symbol(s):









## 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses. EN 166

#### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing. CEN: EN 340; EN 369; EN 465

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Polyvinylchloride (PVC), Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.11		EN ISO 374

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear respiratory protection. EN 143

Respiratory protection				
Device	Filter type	Condition	Standard	
Approved respirator	Type P1	Vapour protection, Protection for Liquid particles	EN 143	

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid : Colourless. Colour Odour characteristic. Odour threshold No data available No data available рΗ Relative evaporation rate (butylacetate=1) No data available Melting point No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature

Flammability (solid, gas) : Highly flammable liquid and vapour.

: No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable liquid and vapour.

#### 10.2. Chemical stability

May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

Strong alkalis. Strong acids.

#### 10.6. Hazardous decomposition products

fume. Carbon oxides (CO, CO2). May release flammable gases.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Harmful in contact with skin.

Acute toxicity (inhalation) : Harmful if inhaled.

20-09-21 (Revision date) EN (English) 7/14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ATE CLP (dermal)  ATE CLP (dermal)  ATE CLP (dermal)  ATE CLP (dust,mist)  2,206 mg/l/4h  cthanol; ethyl alcohol (64-17-5)  LD50 oral rat  6200 mg/kg  LD50 dermal rabbit  20000 mg/kg  LC50 Inhalation - Rat (Vapours)  95,6 mg/l/4h  Skin corrosion/irritation  Causes skin irritation.  Serious eye damage/irritation  Causes serious eye irritation.  Serious eye damage/irritation  Germ cell mutagenicity  Not classified  Carcinogenicity  Not classified  Reproductive toxicity  Not classified  STOT-single exposure  May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure  Causes damage to organs.  STOT-repeated exposure  Not classified  Causes damage to organs.  STOT-repeated exposure  Not classified  SMay be fatal if swallowed and enters airways.					
ATE CLP (dermal)  ATE CLP (dust,mist)  2,206 mg/l/4h  ethanol; ethyl alcohol (64-17-5)  LD50 oral rat  6200 mg/kg  LD50 dermal rabbit  20000 mg/kg  LC50 Inhalation - Rat (Vapours)  Skin corrosion/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Germ cell mutagenicity  Anot classified  Carcinogenicity  Reproductive toxicity  STOT-single exposure  May cause damage to organs.  STOT-single exposure  Causes damage to organs.  STOT-repeated exposure  In tot classified  Causes damage to organs.  STOT-repeated exposure  Causes damage to organs.  STOT-repeated exposure  In tot classified  Causes damage to organs.  STOT-repeated exposure  In tot classified  Causes damage to organs.	Dammar Retouching Varnish				
ATE CLP (dust,mist)  ethanol; ethyl alcohol (64-17-5)  LD50 oral rat  6200 mg/kg  LD50 dermal rabbit  20000 mg/kg  LC50 Inhalation - Rat (Vapours)  95,6 mg/l/4h  Skin corrosion/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Gem cell mutagenicity  Causes serious eye irritation.  Gem cell mutagenicity  Not classified  Carcinogenicity  Not classified  STOT-single exposure  May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure  Causes damage to organs.  STOT-repeated exposure  Not classified  Causes damage to organs.  STOT-repeated exposure  Not classified  STOT-repeated exposure  Not classified  STOT-repeated exposure  Not classified  STOT-repeated exposure  Not classified  Causes damage to organs.	ATE CLP (oral)	714,286 mg/kg bodyweight			
ethanol; ethyl alcohol (64-17-5)  LD50 oral rat 6200 mg/kg  LD50 dermal rabbit 20000 mg/kg  LC50 Inhalation - Rat (Vapours) 95,6 mg/l/4h  Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified  Aspiration hazard : May be fatal if swallowed and enters airways.	ATE CLP (dermal)	1601,942 mg/kg bodyweight			
LD50 oral rat  LD50 dermal rabbit  20000 mg/kg  LC50 Inhalation - Rat (Vapours)  95,6 mg/l/4h  Skin corrosion/irritation  : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure  May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure  Causes damage to organs.  STOT-repeated exposure : Not classified  Aspiration hazard : May be fatal if swallowed and enters airways.	ATE CLP (dust,mist)	2,206 mg/l/4h			
LD50 dermal rabbit  LC50 Inhalation - Rat (Vapours)  Skin corrosion/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Respiratory or skin sensitisation  Germ cell mutagenicity  Into classified  Carcinogenicity  Reproductive toxicity  STOT-single exposure  May cause drowsiness or dizziness.  May cause drowsiness or dizziness.  May cause drowsiness or dizziness.  Causes serious eye irritation.  May cause an allergic skin reaction.  May cause an allergic skin reaction.  Stot classified  Not classified  Aspiration hazard  Causes damage to organs.	ethanol; ethyl alcohol (64-17-5)				
LC50 Inhalation - Rat (Vapours)  Skin corrosion/irritation  Causes skin irritation.  Serious eye damage/irritation  Causes serious eye irritation.  Respiratory or skin sensitisation  Germ cell mutagenicity  Not classified  Carcinogenicity  Not classified  Reproductive toxicity  STOT-single exposure  May cause drowsiness or dizziness.  May cause drowsiness or dizziness.  May cause drowsiness  Tot-single exposure  Causes damage to organs.  STOT-repeated exposure  Not classified  STOT-repeated exposure  Not classified  Causes damage to organs.  STOT-repeated exposure  May be fatal if swallowed and enters airways.	LD50 oral rat	6200 mg/kg			
Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure   May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure : Causes damage to organs.  STOT-repeated exposure : Not classified  Aspiration hazard : May be fatal if swallowed and enters airways.	LD50 dermal rabbit	20000 mg/kg			
Serious eye damage/irritation : Causes serious eye irritation.  Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure   May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure   Causes damage to organs.  STOT-repeated exposure : Not classified  Aspiration hazard : May be fatal if swallowed and enters airways.	LC50 Inhalation - Rat (Vapours)	95,6 mg/l/4h			
Respiratory or skin sensitisation : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure   May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure   Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	Skin corrosion/irritation :	Causes skin irritation.			
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure   May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure   Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	Serious eye damage/irritation :	Causes serious eye irritation.			
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	Respiratory or skin sensitisation :	May cause an allergic skin reaction.			
Reproductive toxicity : Not classified STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	Germ cell mutagenicity :	Not classified			
STOT-single exposure : Not classified  acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	Carcinogenicity :	Not classified			
acetone; propan-2-one; propanone (67-64-1)  STOT-single exposure May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	Reproductive toxicity :	Not classified			
STOT-single exposure May cause drowsiness or dizziness.  methanol (67-56-1)  STOT-single exposure Causes damage to organs.  STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	STOT-single exposure :	Not classified			
methanol (67-56-1)  STOT-single exposure  Causes damage to organs.  STOT-repeated exposure  : Not classified  Aspiration hazard  : May be fatal if swallowed and enters airways.	acetone; propan-2-one; propanone (67-64-1)				
STOT-single exposure  Causes damage to organs.  STOT-repeated exposure  : Not classified Aspiration hazard  : May be fatal if swallowed and enters airways.	STOT-single exposure	May cause drowsiness or dizziness.			
STOT-repeated exposure : Not classified Aspiration hazard : May be fatal if swallowed and enters airways.	methanol (67-56-1)				
Aspiration hazard : May be fatal if swallowed and enters airways.	STOT-single exposure	Causes damage to organs.			
•	STOT-repeated exposure :	Not classified			
Other information : Risk of aspiration pneumonia	Aspiration hazard :	May be fatal if swallowed and enters airways.			
	Other information :	Risk of aspiration pneumonia			

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

ethanol; ethyl alcohol (64-17-5)	
LC50 - Fish [1]	8140 mg/l 48 h
EC50 - Crustacea [1]	9268 – 14221 mg/l 48 h
EC50 - Crustacea [2]	65 mg/l 72 h
ErC50 algae	1450 mg/l 8 d

## 12.2. Persistence and degradability

ethanol; ethyl alcohol (64-17-5)	
Biochemical oxygen demand (BOD)	0,9 - 1,67 g O <sub>2</sub> /g substance
BOD (% of ThOD)	94 % ThOD

## 12.3. Bioaccumulative potential

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

## **Dammar Retouching Varnish**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods Additional information

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Flammable vapours may accumulate in the container. Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1263	UN 1263	UN 1263	UN 1263	UN 1263
14.2. UN proper shippin	g name			
PAINT / PAINT RELATED MATERIAL (CONTAINS; ethanol, ethyl alcohol)	PAINT RELATED MATERIAL (CONTAINS ; ethanol, ethyl alcohol)	Paint (CONTAINS; ethanol, ethyl alcohol)	PAINT RELATED MATERIAL (CONTAINS; ethanol, ethyl alcohol)	PAINT RELATED MATERIAL (CONTAINS ; ethanol, ethyl alcohol)
Transport document descr	iption			
UN 1263 PAINT / PAINT RELATED MATERIAL (CONTAINS ; ethanol, ethyl alcohol), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1263 PAINT RELATED MATERIAL (CONTAINS; ethanol, ethyl alcohol), 3, II	UN 1263 Paint (CONTAINS ; ethanol, ethyl alcohol), 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1263 PAINT RELATED MATERIAL (CONTAINS; ethanol, ethyl alcohol), 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1263 PAINT RELATED MATERIAL (CONTAINS; ethanol, ethyl alcohol), 3, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
3	3	3	3	3
33	3	3	**************************************	3
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: No	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR IMDG		IATA	ADN	RID
No supplementary information available				

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) : 163, 367, 640D, 650

Limited quantities (ADR) : 51

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33

Orange plates :

33 1263

Tunnel restriction code (ADR) : D/E

#### Transport by sea

Special provisions (IMDG) : 163, 367
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-E
Stowage category (IMDG) : B

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

MFAG-No : 127;128

## Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3, A

Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

#### Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 367, 640C, 650

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Rail transport

Classification code (RID) : F1

Special provisions (RID) : 163, 367, 640C, 650

Excepted quantities (RID) : E2
Packing instructions (RID) : P001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID): L1.5BNTransport category (RID): 2Colis express (express parcels) (RID): CE7Hazard identification number (RID): 33

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	Dammar Retouching Varnish; acetone; propan-2-one; propanone; ethanol; ethyl alcohol; methanol; turpentine, oil	
3(b)	Dammar Retouching Varnish; acetone; propan-2-one; propanone; methanol; turpentine, oil	
3(c)	Dammar Retouching Varnish ; turpentine, oil	
40.	acetone; propan-2-one; propanone; ethanol; ethyl alcohol; methanol; turpentine, oil	
69.	methanol	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://ec.europa.eu/home-affairs/system/files/2021-05/list\_of\_competent\_authorities\_and\_national\_contact\_points\_en.pdf

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5a FLAMMABLE LIQUIDS  — Flammable liquids, Category 1, or  — Flammable liquids Category 2 or 3 maintained at a temperature above their boiling point, or  — Other liquids with a flash point ≤ 60 °C, maintained at a temperature above their boiling point	10	50
P5b FLAMMABLE LIQUIDS  — Flammable liquids Category 2 or 3 where particular processing conditions, such as high pressure or high temperature, may create major-accident hazards, or  — Other liquids with a flash point ≤ 60 °C where particular processing conditions, such as high pressure or high temperature, may create major-accident hazards	50	200
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

## 15.1.2. National regulations

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : ethanol; ethyl alcohol,turpentine, oil are listed

SZW-lijst van mutagene stoffen : turpentine, oil is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : ethanol; ethyl alcohol is listed
SZW-lijst van reprotoxische stoffen – : ethanol; ethyl alcohol is listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : ethanol; ethyl alcohol is listed

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes		
	SDS EU format	Modified	
2.2	Precautionary statements (CLP)	Modified	
11.1	ATE CLP (oral)	Modified	
11.1	ATE CLP (dermal)	Modified	
11.1	ATE CLP (dust,mist)	Modified	
15.1	REACH Annex XVII	Added	
16	Data sources	Modified	

Abbreviations and acronyms:		
ADR	DR European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CAS	CAS (Chemical Abstracts Service) number	
CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations	and acronyms:
	CMR: Carcinogeen, Mutageen, Reprotoxisch
	CSA: Chemical Safety Assessment
	CSR: Chemical Safety Report
DNEL	Derived-No Effect Level
	EC50: Median Effective Concentration (required to induce a 50% effect)
	EINECS: European Inventory of Existing Commercial Chemical Substances
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	IATA: International Air Transport Association
	IMDG: International Maritime Code for Dangerous Goods
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
PBT	Persistent Bioaccumulative Toxic
	PNEC: Predicted No Effect Concentration (for environment)
	REACH: Registration, Evaluation and Authorisation of Chemical substances
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
	SVHC: Substances of Very High Concern
vPvB	Very Persistent and Very Bioaccumulative

Data sources

Other information

- : ECHA (European Chemicals Agency). according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H410	Very toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	Calculation method
Acute Tox. 4 (Oral)	H302	Calculation method
Acute Tox. 4 (Dermal)	H312	Calculation method
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Asp. Tox. 1	H304	Expert judgment
Aquatic Chronic 1	H410	Calculation method

The classification complies with : ATP 12

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)797676006 | info@chemprosbv.nl